



ONGOING EVOLUTION







AMBROGIO
R O B O T

THE ROBOTIC LAWNMOWER

[Preview Brochure](#)

2022





TECNOLOGIA TECHNOLOGY

Ambrogio robot è un prodotto tecnologicamente avanzato: APP e modulo ZCS Connect per monitorare e gestire il robot anche a distanza, ZCS innovative Inside+ sui modelli destinati anche al mercato professionale ed evoluti sistemi di taglio, con il sistema +InfinitySystem.

Ambrogio robot is a technologically advanced product: APP and ZCS Connect module to monitor and manage the robot even remotely, innovative ZCS Inside+ on models also intended for the professional market and advanced cutting systems, with the +InfinitySystem.



SMART & GREEN

Ambrogio robot è un prodotto ecofriendly, rispetta l'ambiente e gli animali domestici.
Ambrogio robot is an ecofriendly product, respecting the environment and pets.



ACCESSORI ACCESSORIES

Una gamma completa di accessori per mantenere al meglio il proprio Ambrogio robot.
A complete range of accessories to keep your Ambrogio robot at its best.

AMBROGIO ROBOT

THE ROBOTIC LAWNMOWER

Ambrogio robot è il tagliaerba automatico che si prende cura di ogni tipologia di prato in completa autonomia e totale sicurezza. La soluzione ideale per chi desidera migliorare l'erba del proprio giardino e riprendersi il tempo libero; ideale per coloro che ricercano l'**eccellenza nel taglio dell'erba, il rispetto dell'ambiente, l'efficienza professionale e l'innovazione tecnologica.**

Ambrogio robot è l'alleato perfetto della quotidianità per la gestione di qualsiasi area verde: da piccoli giardini residenziali, semplici o complessi, fino a grandi spazi verdi. Con il taglio Mulching del robot il prato diventa sano, folto e meno affamato di concimi e soprattutto non si deve pensare allo smaltimento dell'erba.

Ambrogio robot è un prodotto Made in Italy: motori brushless, batterie al litio, materiali resistenti ed affidabili per durare nel tempo e con un design bello e curato, per offrire **performance elevate su tutti i tipi di aree verdi.**

Ambrogio robot parla la lingua del futuro semplificandoci la vita: regala il tempo e la libertà di godere appieno il giardino e la vita all'aria aperta, anche se lontani da casa. Grazie alle nuove **Smart Technologies** targate ZCS è possibile **controllare e gestire il robot ovunque ci si trovi e interagire con gli assistenti vocali.**

L'ultima generazione di robot rasaerba Ambrogio è inoltre dotata di **intelligenza artificiale** con **sensori intelligenti e radar** che consentono al robot di riconoscere l'area da rasare e gli ostacoli fissi e mobili in giardino, senza l'utilizzo del filo perimetrale.

I robot Ambrogio sono sicuri, **amici dell'ambiente e degli animali domestici.** Lavorano a distanza di sicurezza dall'animale fino allo spegnimento della lama. Con il sistema ZDefence* che utilizza un biorepellente 100% naturale, il giardino sarà inoltre sempre libero dal fastidio delle zanzare.

*compatibile con le linee 4.0 e 4.36

*Ambrogio robot is the automatic lawnmower that takes care of every type of lawn in complete autonomy and total safety. The ideal solution for those who want to improve the grass in their garden and take back their free time; perfect for those who seek **excellence in grass cutting, respect for the environment, professional efficiency and technological innovation.***

Ambrogio robot is the perfect day-to-day ally for managing any green area: from small residential gardens, simple or complex, to large green spaces. With the robot's Mulching cut, the lawn becomes healthy, thick and less hungry for fertiliser and, above all, there is no need to think about disposing of the grass.

Ambrogio robot is a Made in Italy product: brushless motors, lithium batteries, strong and reliable materials to last over time and with a beautiful and neat design, to offer **high performance on a wide range of lawns.**

*Ambrogio robot speaks the language of the future, simplifying our lives: it gives us the time and freedom to fully enjoy the garden and life in the open air, even if we are far from home. Thanks to the new **Smart Technologies** from ZCS, you can **control and manage the robot wherever you are and interact with voice assistants.***

*The latest generation of Ambrogio robot mowers is also equipped with **artificial intelligence** with **intelligent sensors and radar** that allow the robot to recognise the area to be mown and fixed and mobile obstacles in the garden, without using the perimeter wire.*

Ambrogio robots are safe, environment and pet friendly. They work at a safe distance from the pet until the blade is switched off. With the ZDefence system, which uses a 100% natural biorepellent, your garden will also always be free of mosquitoes.*

**compatible with lines 4.0 and 4.36*

La Realtà Aumentata Augmented Reality



TANTI CONTENUTI IN UN CLICK

1. Scarica l'APP Ambrogio Remote.
2. Cerca sul catalogo le immagini che riportano il simbolo con la scritta +AR
3. Apri l'APP, inquadra l'immagine ed ... entra nel mondo di Ambrogio robot!

EXPLORE MORE WITH A CLICK

1. Download the **Ambrogio Remote APP.**
2. Search the catalogue for images showing the symbol with the letters **+AR**
3. Open the APP, scan the image and... enter the world of Ambrogio robot!

SCOPRI TUTTI I VIDEO PRESENTI NEL CATALOGO! - DISCOVER ALL VIDEOS IN THE CATALOGUE!

6

**Good reasons
to choose
Ambrogio robot**

Innovation

Freedom

Choice

Reliability

Beauty

Quality



GAMMA **RANGE**

NEXTline

The last frontier of robot mowers

NEXTline is the Z generation (post Millennials) of robot mowers, totally projected into the future that anticipates every need for grass cutting and autonomous and controlled management. The NEXT line expands and presents new models, capable of revolutionising the world of robotic cutting.

HYPERTECHNOLOGICAL & CONNECTED
New smart technologies on board that make the robots capable of self-learning the characteristics of the area to be mowed, working without the need for a perimeter wire. Hyper-connected models in the cloud via IoT, manageable remotely thanks to the APP and compatible with voice assistants.

RELIABILITY & WARRANTY
High quality materials. High performance with maximum reliability guaranteed for up to 6 years*. for 4.0 and 4.36 models.

MODULAR & CUSTOMISABLE
The 4.0 models and the 4.36 can be transformed into many different robot mowers: modular, articulated, adaptable to different garden needs. Ideal for medium-sized gardens, they can be adapted to smaller spaces or even larger ones by using the appropriate Power Unit kits.

PET FRIENDLY (AMICO)
Ambrogio is a friend to all animals and respects their space.

ZDEFENCE*
The Smart & Green system against mosquitoes
*Compatible with Ambrogio 4.0 and 4.36 models.

+INFINITYSYSTEM*
The innovative navigation system that allows several robots to manage a green area at the same time, in an intelligent and integrated manner.
*available on certain models

NEW

TWENTY ZR

NEXTline



*The technology that revolutionizes
the garden-robotics*

1000 m²



Twenty ZR is the brand new simple, compact, light, powerful and fast robot mower, which does not require the installation of perimeter wire. The robot is equipped with the most innovative technologies, which allow it to manage and map the garden by learning its characteristics. ZR technology integrates artificial intelligence systems with radar sensors, allowing the robot to detect grass, recognise obstacles at a distance (stationary and moving), edges and perimeters.



INTELLIGENZA ARTIFICIALE
ARTIFICIAL INTELLIGENCE



RILEVAMENTO OSTACOLI CON RADAR
DETECTION OF OBSTACLES WITH RADAR



RICONOSCIMENTO ERBA
SMART GRASS



Processori di ultima generazione
Next generation processors



Tastiera & LED
Keypad & LED



Bluetooth



ZCS Connect
(optional)


Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



RADAR rilevamento ostacoli
RADAR for obstacle detection



Tastiera comandi
Keypad commands



Lama 18 cm
18 cm blade



Copertura nero lucido
Shelter garage shiny black



AMICO
AMICO



VIDEO

TWENTY

NEXTline



1300 m²

The baby of the new generation



VIDEO



A mini robotic lawnmower created to have even less impact on the environment and equipped with the most advanced features. The latest generation processors, brushless motors, powerful batteries and 18 cm blade allow the robot to manage up to 4 separate areas. Excellent efficiency with perfect and fast results from a robot weighing just 7 kg and measuring 42 cm. The Elite and Elite S+ models are equipped with connect module that allows you to manage, interact with and monitor the functions of the robot remotely.

TWENTY deluxe

700 m²

TWENTY elite

1000 m²

TWENTY elite S+

1300 m²



ZCS Connect (Elite e Elite S+)

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Processori di ultima generazione
Next generation processors



Bluetooth



Tastiera & LED
Keypad & LED



Tastiera comandi
Control keypad



Lama 18 cm
18 cm blade



Ruote posteriori gommate

Flex rubber rear wheels



Copertura nero lucido
Shelter garage shiny black



AMICO
AMICO

P. 34

TWENTY 25

NEXTline



VIDEO

1800 m²

Compact and reliable, for medium-sized gardens



The innovative TWENTY range has been extended with the brand new TWENTY 25 model, designed for medium-sized gardens. The two models in the line, Deluxe and Elite, are equipped with advanced technology that guarantees the robot high performance. Brushless motors, powerful batteries and a 25 cm blade allow the robot to manage areas of up to 1,800 sqm.

TWENTY 25 elite
1800 m²

TWENTY 29

NEXTline



VIDEO

3500 m²

Technologically advanced and high-performance



The innovative TWENTY range has been enhanced with the brand new TWENTY 29 model, designed for medium to large-sized green areas. The two models in the line, Deluxe and Elite, are equipped with advanced technology that grants the robot high performance. Brushless motors, powerful batteries and a 29 cm blade allow the robot to manage areas of up to 3,500 sqm.

TWENTY 29 deluxe
2500 m²

TWENTY 29 elite
3500 m²



ZCS Connect (Elite)

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Processori di ultima generazione
Next generation processors



Bluetooth



Tastiera & LED
Keypad & LED



Tastiera & LED
Keypad & LED



Lama 25 cm
25 cm blade



Ruote posteriori gommate
Flex rubber rear wheels



Copertura nero lucido
Shelter garage shiny black



AMICO



P 34



ZCS Connect (Elite)

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Processori di ultima generazione
Next generation processors



Bluetooth



Tastiera & LED
Keypad & LED



Paraurti
Bumper



Lama 29 cm
29 cm blade



Ruote posteriori gommate
Flex rubber rear wheels



Copertura nero lucido
Shelter garage shiny black



AMICO



P 34



**6 YEAR
WARRANTY**

The 4.0 and 4.36 Ambrogio models
with warranty up to 6 years!

Ambrogio 4.0 and 4.36 are equipped with a new technological platform, the futuristic design and state-of-the-art jointed structure, which allows them to manage uneven terrain in a better way and to adapt to gardens of different shapes and sizes. All the Power Units come with lithium-ion smart batteries equipped with Bluetooth technology to exchange information with the motherboard, to optimise charging and power consumption, and to monitor the state of health of the battery itself.

The choice of the Power Units brings an upgrade to the machine itself: the battery power and charging speed allow to manage gardens of different sizes in a more efficient way with longer working times and shorter charging times if associated with the Ambrogio 4.0 and 4.36 models.

**Power Unit
PREMIUM**



Ricarica a contatto
Contact charging

4.0 Basic e Elite | 4.0 Basic and Elite

**Power Unit
ULTRA PREMIUM**



Ricarica a contatto
Contact charging

solo 4.36 Elite | 4.36 Elite only

8,7 Ah

10,35 Ah

8.0 A

10.0 A

3:45 h

4:00 h

1:30 h

1:30 h

Warranty up to 6 years

2 year warranty

covering the conditions and limitations stated in the warranty booklet

+

4 year extension

- to the warranty covering plastic components that are not subject to wear and tear that have manufacturing defects.
- to the warranty covering electronic components excluding the limitations specified in the warranty booklet.
- to the warranty covering cutting and propulsion motors limited up to 5,000 hours of operation.

To validate the warranty extension, it is mandatory to carry out regular winter servicing, to register such servicing on the manufacturer's website, to request the issuing and the appropriate filing of the relative, duly-completed certifications.



**6 YEAR
WARRANTY**

4.0 elite
4.36 elite

NEXT line



4.0 elite

NEXTline



VIDEO

3500 m²

Super Smart, Super Flex ... the future is already here!



The model combines flexibility and modularity with 4.0 technological innovation. It is built around the ZCS Connect module that, enables the connection of the robot anytime and anywhere, in total safety. It is possible to stop, start, exclude areas to be cut and monitor the robot with a simple touch of a button. Ambrogio 4.0 Elite can be combined with the Medium, Premium and Extra Premium Power Units ranging between 2,200 and 3,500 m². The Extra Premium kit makes it possible to equip the robot with the inductive recharge that avoids the usual cleaning of the contacts. The blade height is easy to adjust, in fact, it is motorised, thus facilitating the use of your robot. The ZCS technology is more user-friendly and interactive: enabling the easier management of your lawn in a completely autonomous manner.

Power Unit
PREMIUM



3500
m²

* The platform is designed for work indicated surfaces, in ideal cutting conditions: a simple, rectangular-shaped flat lawn, without any obstacles or additional areas and a moderate lawn growth speed.



ZCS Connect

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Processori di ultima generazione
Next generation processors



Batterie intelligenti
Smart batteries



Regolazione lama motorizzata
Blade motorisation



Snodo
Jointed



Autopulizia
Self-cleaning



Ruote profilo gommato
Rubber wheels



Display touch
Touch Display



Display touch screen
Touchscreen display



6 cutter
6 cutter



Artiglio ruota
Spike Wheel



Copertura nero lucido
Shelter garage shiny black



ZDEFENCE

P.34

4.36 elite

NEXTline



VIDEO

6000 m²

Powerful and jointed



Power Unit
ULTRA PREMIUM



6000
m²

The powerful battery and the 36 cm blade of the Ambrogio 4.36 Elite model allow it to handle large areas. With the ULTRA PREMIUM Power Unit Kit, the robot is able to work for over 4 hours, up to 6,000 sqm. It comes highly equipped with all the latest technologies (Display Touch, ZCS Connect, GPS, Bluetooth and GSM), and has a high capability to work in a team with other robots. It is also compatible with voice assistants (SMART ASSISTANT) and with AMICO.

Sistema di taglio SDM (Satellite Dynamic Memory) Il sistema di navigazione satellitare, basato su algoritmi evoluti, che permette al robot di riconoscere le aree di lavoro rasate di recente. Il robot crea quindi delle mappe virtuali e ricorda i tempi di lavoro impiegati per ogni zona. Elevato risparmio di tempo ed una maggior efficienza.

SDM Cutting System (Satellite Dynamic Memory) The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



ZCS Connect

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Processori di ultima generazione
Next generation processors



Batterie intelligenti
Smart batteries



Regolazione lama motorizzata
Blade motorisation



Snodo
Jointed



Autopulizia
Self-cleaning



Ruote profilo gommato
Rubber wheels



Display touch
Touch Display



Regolazione lama motorizzata
Blade motorisation



Snodo
Jointed



Autopulizia
Self-cleaning



Ruote profilo gommato
Rubber wheels



Display touch
Touch Display



Display touch screen
Touchscreen display



Lama stella 4 punte
4 point star blade



Artiglio ruota
Spike Wheel



Copertura nero lucido
Shelter garage shiny black



ZDEFENCE

P.34

QUAD elite

NEXTline

3500 m²

Lawns with impossible slopes? No problem, QUAD Elite is here for you.



QUAD Elite is the Ambrogio lawnmower robot model dedicated to gardens with slopes of up to 75%. Thanks to its 4 wheel drive (electrically steered) and 10 Ah battery, it can handle extremely steep climbs and bumps and also works efficiently on the edge of the garden on slopes of up to 65%. Its high level of efficiency is made possible by the presence, for each drive module, of a traction wheel motor that allows steering in any direction without performing risky manoeuvres, even on steep slopes. The compact, square-shaped dimensions (only 53 cm) make the robot's movements pleasant on both regular and uneven terrain. The handles positioned on the 4 sides make it safe and easy to transport. QUAD Elite is also equipped with a special RADAR sensor that allows the robot to understand and learn where obstacles are located in the garden, without having to delimit the area with the perimeter wire. Less shocks, more safety, longer robot life!



PENDENZE FINO AL 75%
SLOPES UP TO 75%



RILEVAMENTO OSTACOLI CON RADAR
DETECTION OF OBSTACLES WITH RADAR



4 RUOTE MOTRICI E STERZANTI
4 DRIVING AND STEERING WHEELS



Display Touchscreen
Touchscreen Display



RADAR rilevamento ostacoli
RADAR for obstacle detection



4 ruote motrici e sterzanti
4 driving and steering wheels



Copertura nero lucido
Shelter garage shiny black

AMICO

NO LIMIT



VIDEO



ZCS Connect

Geographic localisation
Geofence Alarm
Go Away
Go Home
Smart Assistant



Processori di ultima generazione
Next generation processors



Batterie intelligenti
Smart batteries



Regolazione lama motorizzata
Blade motorisation



Display touch
Touch Display



Sistema di taglio SDM (Satellite Dynamic Memory) Il sistema di navigazione satellitare, basato su algoritmi evoluti, che permette al robot di riconoscere le aree di lavoro rasate di recente. Il robot crea quindi delle mappe virtuali e ricorda i tempi di lavoro impiegati per ogni zona. Elevato risparmio di tempo ed una maggior efficienza.

SDM Cutting System (Satellite Dynamic Memory) The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



NEXTline



NEW

NEW

NEW

MODELS DESCRIPTION	TWENTY ZR	TWENTY Deluxe	TWENTY Elite	TWENTY Elite S+	TWENTY 25 Elite	TWENTY 29 Deluxe	TWENTY 29 Elite
POWER							
Maximum cutting surface [m ²] (-20%)*	1.000	700	1.000	1.300	1.800	2.500	3.500
Motor type	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless
Max. permissible Slope (%)	45%	45%	45%	45%	45%	45%	45%
Max. Slope (%)	35%	35%	35%	35%	35%	35%	35%
Slope on the outer edge or perimeter wire (%)	20%	20%	20%	20%	20%	20%	20%
CUTTING SYSTEM							
Blade Type	Stella 4 Punte/4 Point Star Blade	Stella 4 Punte/4 Point Star Blade	Stella 4 Punte/4 Point Star Blade	Stella 4 punte/4 Point Star Blade	Stella 4 punte/4 Point Star Blade	Stella 4 punte/4 Point Star Blade	Stella 4 punte/4 Point Star Blade
Cutting Width [cm]	18	18	18	18	25	29	29
Cutting Height (min-max) [mm]	25-70	25-70	25-70	25-70	25-60	25-60	25-60
Cutting Height Adjustment	Manuale/Manual	Manuale/Manual	Manuale/Manual	Manuale/Manual	Manuale/Manual	Motorizzata/Automatic	Motorizzata/Automatic
Spiral Cutting System	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes
"SDM" Cutting System	No/No	No/No	Si/Yes	Si/Yes	Si/Yes	No/No	Si/Yes
"+ Infinity" Cutting System	No/No	No/No	No/No	No/No	No/No	No/No	Si/Yes
Self-Levelling	-	-	-	-	-	-	-
Eco Mode	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes
Rain Sensor	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes
Manageable Areas Including the Main	4	4	4	4	8	8	8
NAVIGATION							
ZCS Connect Module (GPS, GSM)	Su richiesta/Optional	Su richiesta/Optional	Si/Yes	Si/Yes	Si/Yes	Su richiesta/Optional	Si/Yes
CONTROL DEVICES							
User Interface	Tastiera & LED/Keypad & LED	Tastiera & LED/Keypad & LED	Tastiera & LED/Keypad & LED	Tastiera & LED/Keypad & LED	Tastiera & LED/Keypad & LED	Tastiera & LED/Keypad & LED	Tastiera & LED/Keypad & LED
APP Control	Bluetooth	Bluetooth/Bluetooth	Bluetooth-GSM/Bluetooth-GSM	Bluetooth - GSM/Bluetooth - GSM	Bluetooth - GSM/Bluetooth - GSM	Bluetooth/Bluetooth	Bluetooth - GSM/Bluetooth - GSM
Bluetooth Receiver	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes
Smart Assistant	Incluso in/Included in ZCS Connect	Incluso in/Included in ZCS Connect	Si/Yes	Si/Yes	Si/Yes	Incluso in/Included in ZCS Connect	Si/Yes
AMICO	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional
SAFETY							
Safety PIN	PIN Code via APP	PIN Code via APP	PIN Code via App & Geofence	PIN Code via App & Geofence	PIN Code via App & Geofence	PIN Code via APP	PIN Code via App & Geofence
STANDARD EQUIPMENT FOR INSTALLATION							
Perimeter Wire Length [mt]	50	0	0	0	0	0	0
Fixing nails	40	20	20	20	20	20	20
Charging Station	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes	Si/Yes
Recharging base cover	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional
FEATURES							
Robot Size (lxwxh)	453x296x220	420X290X220 mm	420X290X220 mm	420x290x220 mm	534x263x386	534x263x386	534x263x386
Wheel Profile	Gomma/Rubber	Gomma/Rubber	Gomma/Rubber	Gomma/Rubber	Gomma/Rubber	Gomma/Rubber	Gomma/Rubber
Sound power [dB(A)]	59	59	59	59	60	63	63
Level of protection	IPx5	IPx5	IPx5	IPx5	IPx5	IPx5	IPx5

Maximum suggested cutting surface m ² (-20%)	1.000	700	1.000	1.300	1.800	2.500	3.500
Lithium-Ion Battery (25,9V)	5,0Ah- 130Wh	2,5Ah-64Wh	2,5Ah-64Wh	5Ah - 130Wh	5,0Ah- 130Wh	5,0Ah- 130Wh	10Ah - 260Wh
Quantity of batteries	1x5,0Ah	1x2,5 Ah	1x2,5 Ah	1x5,0 Ah	1x5,0Ah	1x5,0Ah	2x5,0Ah
Average Working Time [h] (+-20%)	04:00	02:00	02:00	04:00	03:00	03:00	06:00
Recharge Mode	Contatto/Contact						
Battery Chargers	2,3A-68W	2,3A-68W	2,3A-68W	5,0A - 150W	2,3A - 68W	5A -150W	8A- 235W
Weight with Batteries Incl. [Kg]	7,5	7,1	7,2	7,5	10	-	-

*m² riferiti alla massima performance delle batterie. In base alle condizioni dell'erba, del manto erboso e della complessità dell'area di taglio.

*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.





NEXTline



MODELS DESCRIPTION	4.0 Elite	4.36 Elite	QUAD
POWER			
Maximum cutting surface [m ²] (-20%)*	3.500	6.000	3.500
Motor type	Brushless	Brushless	4WD Brushless
Max. permissible Slope (%)	45%	45%	75%
Max. Slope (%)	35%	35%	70%
Slope on the outer edge or perimeter wire (%)	20%	20%	65%
CUTTING SYSTEM			
Blade Type	6 Cutter	Stella 4 Punte/4 Point Star Blade	Stella 4 Punte/4 Point Star Blade
Cutting Width [cm]	25	36	29
Cutting Height (min-max) [mm]	20-65	20-65	25-70
Cutting Height Adjustment	Motorizzata/Automatic	Motorizzata/Automatic	Motorizzata/Automatic
Spiral Cutting System	Si/Yes	Si/Yes	Si/Yes
"SDM" Cutting System	Si/Yes	Si/Yes	Si/Yes
"+ Infinity" Cutting System	Si/Yes	Si/Yes	Si/Yes
Self-Levelling	Si/Yes	Si/Yes	Si/Yes
Eco Mode	Si/Yes	Si/Yes	Si/Yes
Rain Sensor	Si/Yes	Si/Yes	Si/Yes
Manageable Areas Including the Main	8	8	8
NAVIGATION			
ZCS Connect Module (GPS, GSM)	Si/Yes	Si/Yes	Si/Yes
CONTROL DEVICES			
User Interface	Display Touch/Touchscreen Display	Display Touch/Touchscreen Display	Display Touch/Touchscreen Display
APP Control	Bluetooth-GSM/Bluetooth-GSM	Bluetooth-GSM/Bluetooth-GSM	Bluetooth/GSM
Bluetooth Receiver	Si/Yes	Si/Yes	Si/Yes
Smart Assistant	Si/Yes	Si/Yes	Si/Yes
AMICO	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional
ZDefence	Su richiesta/Optional	Su richiesta/Optional	-
SAFETY			
Safety PIN	PIN & Geofence	PIN & Geofence	PIN & Geofence
STANDARD EQUIPMENT FOR INSTALLATION			
Perimeter Wire Length [mt]	0	0	0
Fixing nails	20	20	20
Charging Station	Si/Yes	Si/Yes	Si/Yes
Recharging base cover	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional
FEATURES			
Robot Size (lxwxh)	635x464x330 mm	784x536x330 mm	533x533x333
Wheel Profile	Gomma Flex/Flex Rubber	Gomma Flex/Flex Rubber	Gomma/Rubber
Sound power [dB(A)]	63	65	63
Level of protection	IPx5	IPx5	IPx5
BATTERY			
Maximum suggested cutting surface m ² (-20%)	3.500 m ²	6.000 m ²	3.500 m ²
Lithium-Ion Battery (25,9V)	8.7Ah - 220Wh	10.35Ah - 260 Wh	10Ah - 260Wh
Quantity of batteries	1x8.7 Ah	1x10.35 Ah	2x5,0Ah
Average Working Time [h] (+-20%)	03:45	04:00	02:30
Recharge Mode	Contatto/Contact	Contatto/Contact	Contatto/Contact
Battery Chargers	8.0A-235W	10.0A-300W	8A- 235W
Weight with Batteries Incl. [Kg]	15,8	18	18,5

*m² riferiti alla massima performance delle batterie. In base alle condizioni dell'erba, del manto erboso e della complessità dell'area di taglio.
*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.

L250i


PROline

5000 m²

Interactive and Smart



The two L250i models - Elite and Elite S+ - are a concentration of innovation and technology. The touchscreen display, the advanced navigation systems and standard ZCS Connect module make the robots extremely efficient and innovative. Compatible with most voice assistants (SMART ASSISTANT) for a complete interaction with the robot.



L250i ELITE
3200 m²

7,5 Ah lithium-ion
7,5 Ah lithium-ion
3:30 h
Taglio consecutivo*
Continuous cutting*

L250i ELITE S+
5000 m²

7,5 Ah lithium-ion
7,5 Ah lithium-ion
7:00 h
Taglio consecutivo*
Continuous cutting*

Giardino libero
Free Garden Time

L350i ELITE


PROline

7000 m²

Attractive design and high technology



The L350i Elite can manage lawns up to 7,000 m² and work for seven consecutive hours, while maintaining high mowing performance. The touchscreen display makes programming simple and intuitive. The ZCS Connect module ensures safety and ease of use also thanks to its compatibility with the most popular voice assistants (SMART ASSISTANT).



15 Ah lithium-ion

7:00 h Continuous cutting *

9 h Robot free garden

Motori Brushless ad alta efficienza
High efficiency brushless motors

Ruota posteriore Flex Per un'ottima aderenza del robot al terreno, anche in caso di superficie umida.
Flex rear wheels For excellent grip on all types of terrain, even on wet surfaces.

Gestione fino a 8 aree distinte
Manage up to 8 separate areas

Ruote anteriori brevettate Autonome una dall'altra nei movimenti, mantengono elevate performance di taglio anche su terreni irregolari.
Patented front wheels They move independently from each other, while maintaining high cutting performances even an irregular and uneven terrain.

Pendenze fino al 45%
Slopes up to 45%

Sistema di taglio SDM (Satellite Dynamic Memory) Il sistema di navigazione satellitare, basato su algoritmi evoluti, che permette al robot di riconoscere le aree di lavoro rasate di recente. Il robot crea quindi delle mappe virtuali e ricorda i tempi di lavoro impiegati per ogni zona. Elevato risparmio di tempo ed una maggior efficienza.
SDM Cutting System (Satellite Dynamic Memory) The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



Display Touchscreen
Touchscreen Display



Lama stella 4 punte
4 point star blade



Ruota posteriore gommata
Flex rubber rear wheel



Artiglio ruota
Spike Wheel

Copertura nero lucido
Shelter garage shiny black

High efficiency brushless motors

Powerful lithium-ion batteries

Manage up to 8 separate areas

Flex-Grip rear wheel Plyable soft rubber tyres give excellent grip on all terrain, even on wet surfaces.

Slopes up to 45%

GPS Enhanced Navigation The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, thus ensuring time saving and greater efficiency.



Large Touchscreen Display



Adjustable Rain Sensor



Self Cleaning Flex-Grip Rubber
Rear Wheels



Metal Grip Spikes; For Soft
Wet Conditions (Optional)




Form Fitting Charging Base

L700i

PROline



VIDEO



L700i DELUXE
20000 m²

A powerful robot with an attractive design typical of Italian products, which can manage gardens up to 20,000 m², even those with multiple separate areas. The two models are also equipped with the ZCS Connect module to connect and interact with Ambrogio any time and anywhere.

Motori Brushless ad alta efficienza
High efficiency brushless motors

Gestione fino a 8 aree distinte
Manage up to 8 separate areas

Pendenze fino al 45%
Slopes up to 45%

Potenti batterie al litio-ion
Powerful lithium-ion batteries

Regolazione lama motorizzata
Motorised blade adjustment

Taglio perfetto anche su terreni irregolari
Perfect cut even on uneven ground

Ruota posteriore in gomma flex Per un'ottima aderenza del robot al terreno, anche in caso di superficie umida.
Flex rubber rear wheel For excellent grip on all types of terrain, even on wet surfaces.

Sistema di taglio SDM (Satellite Dynamic Memory) Il sistema di navigazione satellitare, basato su algoritmi evoluti, che permette al robot di riconoscere le aree di lavoro rasate di recente. Il robot crea quindi delle mappe virtuali e ricorda i tempi di lavoro impiegati per ogni zona. Elevato risparmio di tempo ed una maggior efficienza.
SDM Cutting System (Satellite Dynamic Memory) The satellite navigation system, based on advanced algorithms, allows the robot to recognise the areas just mowed. The robot then creates virtual maps and remembers the working times used for each area, saving time and increasing efficiency.



Display Touchscreen
Touchscreen Display



Lama stella 4 punte
4 point star blade



Ruota in gomma flex
Flex rubber wheel



Scocca in carbonio, resistente e leggera
Lightweight and robust carbon cover



AMICO
AMICO

P. 34

PROline




MODELS DESCRIPTION	L250i Elite	L250i Elite S+	L350i Elite	L400i Deluxe
POWER				
Maximum cutting surface [m ²] (-20%)*	3.200	5.000	7.000	20.000
Motor type	Brushless	Brushless	Brushless	Brushless
Lithium-Ion Battery (25,9V)	1x7,5 Ah	2x7,5 Ah	1x15Ah	4x15Ah
Max permissible Slope (%)	45%	45%	45%	45%
Max. Slope (%)	35%	35%	35%	35%
Slope on the outer edge or perimeter wire (%)	20%	20%	20%	20%
Average Working Time [h] (+-20%)	03:30	07:00	7:00	11:00
Recharge Mode	Contatto/Contact	Contatto/Contact	Contatto/Contact	Contatto/Contact
CUTTING SYSTEM				
Blade Type	Stella 4 Punte/4 Point Star Blade			
Cutting Width [cm]	29	29	36	84 (3 dischi)/84 (3 discs)
Cutting Height (min-max) [mm]	25-70	25-70	24-64	25-70
Cutting Height Adjustment	Manuale/Manual-	Manuale/Manual	Manuale/Manual	Motorizzata/Automatic
Spiral Cutting System	Si/Yes	Si/Yes	Si/Yes	Si/Yes
"SDM" Cutting System	Si/Yes	Si/Yes	Si/Yes	Si/Yes
"+ Infinity" Cutting System	Si/Yes	Si/Yes	Si/Yes	Si/Yes
Self-Levelling	Si/Yes	Si/Yes	Si/Yes	-
Eco Mode	Si/Yes	Si/Yes	Si/Yes	Si/Yes
Rain Sensor	Si/Yes	Si/Yes	Si/Yes	Si/Yes
Manageable Areas Including the Main	8	8	8	8
NAVIGATION				
ZCS Connect Module (GPS, GSM)	Si/Yes	Si/Yes	Si/Yes	Si/Yes
CONTROL DEVICES				
User Interface	Display Touch/Touchscreen Display	Display Touch/Touchscreen Display	Display Touch/Touchscreen Display	Display Touch/Touchscreen Display
APP Control	Bluetooth-GSM/Bluetooth-GSM	Bluetooth-GSM/Bluetooth-GSM	Bluetooth-GSM/Bluetooth-GSM	Bluetooth-GSM/Bluetooth-GSM
Bluetooth Receiver	Si/Yes	Si/Yes	Si/Yes	Si/Yes
Smart Assistant	Si/Yes	Si/Yes	Si/Yes	Si/Yes
AMICO	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional
SAFETY				
Safety PIN	Pin & Geofence	Pin & Geofence	Pin & Geofence	Pin & Geofence
STANDARD EQUIPMENT FOR INSTALLATION				
Perimeter Wire Length [mt]	0	0	0	0
Fixing nails	20	20	20	100
Charging Station	Si/Yes	Si/Yes	Si/Yes	Si/Yes
Recharging base cover	Su richiesta/Optional	Su richiesta/Optional	Su richiesta/Optional	-
FEATURES				
Weight with Batteries Incl. [Kg]	15,3	16,2	18,4	49
Robot Size (lwxh)	580x500x290 mm	580x500x290 mm	700x490x300 mm	1.200x977x372 mm
Wheel Profile	Gomma Flex/Flex Rubber	Gomma Flex/Flex Rubber	Gomma Flex/Flex Rubber	Gomma Flex/Flex Rubber
Sound power [dB(A)]	63	63	69	69
Level of protection	IPx4	IPx4	IP44	IP44

*m² riferiti alla massima performance delle batterie. In base alle condizioni dell'erba, del manto erboso e della complessità dell'area di taglio.
*sqm referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.



GREENline

Enjoy your
Time



GREENline



MODELS DESCRIPTION	L60 Elite S+	
POWER		
Maximum cutting surface [m ²] (-20%)*	400	
Motor Type	Brushless	
Lithium-Ion Battery (25,9V)	1x7,5 Ah	
Max permissible Slope (%)	50%	
Max. Slope (%)	40%	
Slope on the outer edge or perimeter wire (%)	-	
Average Working Time [h] (+-20%)	03:00	
Recharge Mode	Manuale/Manual	
CUTTING SYSTEM		
Blade Type	Stella 4 Punte/4 Point Star Blade	
Cutting Width [cm]	25	
Cutting Height (min-max) [mm]	42-48	
Spiral Cutting Method	-	
ZGS Sensors (Grass /Drop Off)	Si/Yes	
Eco Mode	Si/Yes	
Rain Sensor	No/No	
Manageable Areas Including the Main	1	
NAVIGATION		
ZCS Connect Module (GPS, GSM)	Su richiesta/Optional	
CONTROL DEVICES		
User Interface	Tastiera & LED/Keypad & LED	
APP Control	Bluetooth/Bluetooth	
Bluetooth Receiver	Si/Yes	
Smart Assistant	Incluso in/Included in ZCS Connect	
AMICO	Su richiesta/Optional	
SAFETY		
Safety PIN	PIN Code via APP	
STANDARD EQUIPMENT FOR INSTALLATION		
Perimeter Wire Length [mt]	Non necessario/Not necessary	
Fixing nails	Non necessario/Not necessary	
Charging Station	-	
Recharging Base Cover	-	
FEATURES		
Weight with Batteries Incl. [Kg]	8,3	8,6
Robot Size (lwxh)	440x360x200 mm	
Sound Power [dB(A)]	65	
Level of protection	IPx4	

*m² referring to the maximum performance of the batteries. Based on the conditions of the grass, the turf and the complexity of the cutting area.

L60

GREENline



VIDEO

400 m²

Simple, no installation for small areas



Bluetooth Receiver + App
Bluetooth Receiver + App

ZCS Connect (Su richiesta)
ZCS Connect (Optional)



**NO installazione
NO filo perimetrale!** **NO installation
NO perimeter wire!**



Keeping small gardens in pristine condition has never been easier with the Ambrogio Robot L60, designed for residential gardens up to 400 m². The 2 models - Elite and Elite S+ - are ideal for those who want a perfectly mowed lawn, without the need to install perimeter wires. The robot's ease of use allows them to be put into service immediately and transported across multiple areas and different gardens. The Ambrogio Remote APP allows managing and updating the robot.

L60 ELITE S+
400 m²

7,5 Ah litio-ioni - 7,5 Ah lithium-ion




Leggero e portatile
Lightweight and portable



Pendenze fino al 50%
Slopes up to 50%




Quattro ruote motrici
Four wheel drive



Punto di ricarica
Charging Point



Tastiera comandi
Keypad commands



Lama e Sensore ZGS
Blade and ZGS Sensor



Paraurti e sensore ostacolo
Bumper and obstacle sensor



AMICO
AMICO

P 34



Ambrogio robot parla la lingua del futuro

Ambrogio robot speaks the language of the future

Download on the App Store GET IT ON Google play

Tramite la **APP Ambrogio Remote**, è possibile controllare il robot e scaricare i manuali.

Through the **Ambrogio Remote APP**, it is possible to control the robot and download manuals

Smart Assistant Gestire il robot tramite comandi vocali* <i>To manage the robot via voice commands*</i>	Geographic localisation Localizzare il robot su una cartina <i>To locate the robot on a map</i>	Geofence alarm Antifurto <i>Anti-theft device</i>	Go away Esclusione di aree specifiche del giardino <i>Exclusion of specific garden areas</i>

Connect Module **

Per la L60 le funzioni disponibili sono: Monitoraggio remoto dello stato del robot | Ricezione di notifiche in caso di errore | Ricezione notifiche Geofence | Arresto del robot

The functions available for the L60 are: Remote monitoring of the robot status | Receive notifications in case of error | Receiving Geofence notifications | Stop the robot

*Ambrogio robot è in grado di comunicare con i vari assistenti vocali delle maggiori piattaforme (Siri, Google Home ed Alexa). Per i comandi specifici è necessario riferirsi alle relative guide.

**Il modulo richiede una copertura e una connessione di trasferimento dati della rete del proprio Paese. Contattare il proprio rivenditore per informarsi sulle frequenze necessarie e per verificare i requisiti di funzionamento nella propria Nazione. Traffico dati gratuito per due anni. Rinnovabile alla scadenza.

*Ambrogio robot can communicate with the various voice assistants of the major platforms (Siri, Google Home and Alexa). For specific commands, please refer to the relevant guides.


**The module requires coverage and a data transfer connection of your country's network. Contact your dealer to inquire about the necessary frequencies and to verify the operating requirements in your country. Free data traffic for two years. Renewable upon expiry.



Inquadra la foto con l'APP Ambrogio Remote per vedere il video
Scan the photo with the Ambrogio Remote APP to see the video



ZCS INNOVATIVE INSIDE



ZCS CONNECT*

Consente di connettersi ed interagire con il proprio robot sempre ed ovunque (con il proprio smartphone o tablet). Utilizzando la App Ambrogio Remote si potrà impostare i profili degli orari di lavoro del proprio robot, verificare la localizzazione (Geolocalizzazione), isolare e/o lavorare specifiche zone del giardino (Go Away), monitorare lo stato del robot e ricevere alert quando esce dal giardino (Geofence alarm, un evoluto sistema di antifurto). Grazie alle funzioni Go Home e Work Now è possibile forzare il rientro alla stazione di ricarica e il lavoro nel giardino.

*Il modulo richiede una copertura e una connessione di trasferimento dati della rete del proprio Paese. Contattare il proprio rivenditore per informarsi sulle frequenze necessarie e per verificare i requisiti di funzionamento nella propria Nazione. Traffico dati gratuito per due anni. Rinnovabile alla scadenza.

Connect and interact with the robot any time and anywhere (with your own smartphone or tablet). By using the Ambrogio Remote App it is possible to set up the robot time profiles, verify location (geo localisation), isolate and/or work on specific areas of the garden (Go Away), monitor the status of the robot and receive alerts when it comes out of the garden (Geo fence alarm, an evolved anti-theft system). Thanks to the Go Home and Work Now functions, it is possible to force the robot to return to the charging station or to work in the garden.


*The module requires coverage and a data transfer connection of your country's network. Contact your dealer to inquire about the necessary frequencies and to verify the operating requirements in your country. Free data traffic for two years. Renewable upon expiry.



BLUETOOTH

La tecnologia di comunicazione che permette l'aggiornamento del software e la guida del robot a distanza ravvicinata.

The communication technology that allows updating the software and driving the robot at close range.



INNOVATIVE MOTHERBOARD

Scheda madre di ultima generazione con processori più veloci, capaci di elaborare una maggior quantità di dati in modo più efficiente e con un minor consumo energetico.

Latest generation motherboard with faster processors, able to process more data more efficiently and with less power usage.



SMART ASSISTANT

I modelli dotati di ZCS Connect possono interagire con l'utente grazie alla nuova funzione SMART ASSISTANT (compatibile con Siri, Google Home e Alexa). La funzione SMART ASSISTANT permette di inviare comandi vocali, informare sullo stato di funzionamento del robot e richiedere statistiche di lavoro del tuo robot.

The models equipped with ZCS Connect can interact with the user thanks to the new SMART ASSISTANT function (compatible with Siri, Google Home and Alexa). The SMART ASSISTANT function allows you to send voice commands; ask for information on the functioning of the robot as well as the working statistics.



DISPLAY TOUCH

Interattiva grazie ad uno schermo intuitivo; si può interagire con l'interfaccia grafica del sistema operativo semplicemente toccandolo con le dita, senza dover ricorrere a tasti fisici.

The interactive and intuitive touch display allows interacting with the graphic interface of the operating system by simply touching the screen with your fingers, without having to use physical keys.





Gestire aree ampie in modo intelligente e integrato To Manage large areas in an intelligent and integrated way

L'innovativo sistema di navigazione che consente a più robot di gestire contemporaneamente un'area, in modo intelligente e integrato.

+INFINITYSYSTEM*, per mezzo delle tecnologie Cloud e ZCS Connect, crea sull'area da rasare una mappa virtuale costantemente condivisa. Le mappa condivisa consente ai robot di conoscere le micro aree già tagliate ottimizzando il tempo di lavoro, senza tralasciare alcuna zona e con la massima precisione.

I robot dotati di +INFINITYSYSTEM hanno la capacità di riadattarsi a lavorare in giardini che nel tempo hanno aumentato la loro superficie. Aree esterne che diventano "giardino" potranno essere gestite in perfetta combinazione con tutti gli altri spazi verdi.

Il sistema +INFINITYSYSTEM è indicato per la manutenzione di giardini medio grandi fino ad aree molto ampie come stadi, campi volo e da golf.

The innovative navigation system that allows several robots to manage an area simultaneously, in a smart and integrated way.

+INFINITYSYSTEM, through the Cloud technologies and ZCS Connect, creates a constantly shared virtual map on the area to be mowed. The shared map allows robots to know the already cut micro areas optimising the working time, without neglecting any area and with maximum precision.*

The robots equipped with +INFINITYSYSTEM have the ability to readjust themselves to work in areas that have increased their surface over time. External areas which become "yards" can be managed in a perfect combination with all the other green spaces.

The + INFINITYSYSTEM system is recommended for the maintenance of medium/large spaces up to very large areas such as sport fields, airfields and golf courses.

*Disponibile su alcuni modelli della gamma Ambrogio 2022, previa valutazione tecnica dell'area.

* Available on some models of the Ambrogio 2022 range, prior to a technical evaluation of the area.



Inquadra la foto con l'APP Ambrogio Remote per vedere il video
Scan the photo with the Ambrogio Remote APP to see the video



VIDEO

Ambrogio è amico di tutti gli animali e rispetta il loro spazio.

AMICO è la tecnologia targata ZCS che garantisce il funzionamento di Ambrogio robot nelle aree a distanza di sicurezza dell'animale fino allo spegnimento automatico della lama. Un micro dispositivo da posizionare sul collare di animali di taglia media e grande oppure sul dorso, come per una tartaruga, che dialoga con Ambrogio robot.

AMICO è innocuo e sicuro.

Ambrogio is a friend to all animals and respects their need for space.

AMICO is the technology bearing the ZCS logo that ensures the safe operation of Ambrogio robot near animals wearing an AMICO, until the automatic shutdown of the blade. A micro device to be put on an average/large-sized pets's collar, or on its back, as in the case of a tortoise. The AMICO tag communicates with Ambrogio robot as it approaches any animal with the tag.

AMICO is harmless and safe.

AMICO è disponibile per tutti i modelli della gamma Ambrogio.
Per ulteriori informazioni consulta il sito ambrogiorobot.com oppure contatta il rivenditore.

AMICO is available for all models of the Ambrogio range.
For more information, please visit ambrogiorobot.com or contact your dealer.



ZDEFENCE

Il sistema Smart & Green contro le zanzare

Naturale, automatizzato e semplice da installare, ZDefence* utilizza un biorepellente naturale al 100%, che crea una barriera contro le zanzare.

Il tuo giardino sarà sempre bello e libero da qualsiasi fastidio!

The Smart & Green system against mosquitoes

Natural, automated and easy to install, ZDefence* uses a 100% natural biorepellent, which creates a barrier against mosquitoes.

Your garden will always be beautiful and free from any nuisance!



VIDEO

*Compatibile sui modelli Ambrogio 4.0 e 4.36.

*Compatible with Ambrogio 4.0 and 4.36 models.



Copertura base di ricarica | Recharging base cover



Prodotti Products	Cod. Articolo Item number	Modello ambrogio Ambrogio model
Copertura colore nero lucido <i>Shelter Garage colour shiny black</i>	015Z11800A	TWENTY ZR TWENTY LIS DELUXE
Copertura colore nero lucido <i>Shelter Garage colour shiny black</i>	L29Z03700A	TWENTY 25 TWENTY 29
Copertura colore nero carbon look <i>Shelter Garage colour black carbon look</i>	051Z19000A	L32
Copertura colore nero lucido <i>Shelter Garage colour shiny black</i>	051A00050A	L32
Copertura colore nero lucido <i>Shelter Garage colour shiny black</i>	110Z66200A	L250i
Copertura colore nero lucido <i>Shelter Garage colour shiny black</i>	075Z45800A	4.0 4.36 elite QUAD elite



Artigli | Spikes

Prodotti Products	Cod. Articolo Item number	Modello ambrogio Ambrogio model
Artiglio <i>Spike</i>	051Z50900A	L32
Artiglio <i>Spike</i>	110Z54001A	L250i
Artiglio <i>Spike</i>	042Z21900A	4.0 4.36 elite

Kit Installazione | Installation Kit



Prodotti Products	Composizione Composition	Cod. Articolo Item number
Kit Installazione S <i>Installation Kit S</i>	150 m di filo 150m wire	300 chiodi 300 pegs
Kit Installazione M <i>Installation Kit M</i>	150 m di filo 150m wire	300 chiodi 300 pegs
Kit Installazione L <i>Installation Kit L</i>	300 m di filo 300m wire	500 chiodi 500 pegs

Smart & Green



Prodotti Products	Cod. Articolo Item number	Modello ambrogio Ambrogio model
Dispositivo di sicurezza per animali (AMICO) <i>Pet safety device (AMICO)</i>	030Z22500A	TWENTY ZR TWENTY TWENTY 25 TWENTY 29 4.0 4.36 elite L60 LIS DELUXE L32 L250i L700i
Dispositivo contro le zanzare (ZDEFENCE) <i>Mosquito control device (ZDEFENCE)</i>		4.0 4.36 elite

Gli specialisti del robot *The robot specialists*

Dal 2000 Zucchetti Centro Sistemi progetta, realizza ed innova i propri robot rasaerba Ambrogio.

Since 2000 Zucchetti Centro Sistemi has designed, created and innovated its Ambrogio robot lawnmowers.



Scopri Ambrogio robot
presso il **rivenditore autorizzato**
più vicino a te

- » Supporto professionale in fase di scelta del robot
- » Assistenza specializzata in caso di guasto
- » Ricambi originali garantiti

*Come and discover Ambrogio
robot lawnmowers at your nearest
authorised dealer*

- » *Professional guidance and support during the robot selection phase*
- » *Specialised technical assistance in case of malfunctioning*
- » *Original spare parts guaranteed*



AMBROGIO

ROBOT

THE ROBOTIC LAWNMOWER

Manufactured By
ZUCCHETTI
Centro Sistemi



ZUCCHETTI
Centro Sistemi



Distributed In UK By
Magic Distribution
Magic House, Station Road
North Hykeham, Lincoln, LN6 9AL
01522 690005 info@ambrogio.co.uk



ambrogio.co.uk

Dealer